BANGLADESH REFERENCE INSTITUTE FOR CHEMICAL MEASUREMENTS BRiCM
Ministry of Science and Technology
Dr. Qudrat-e-Khuda Road (Laboratory Road), Dhanmondi, Dhaka-1205, Bangladesh
Contact: 02-44612451, +8801308030003, rmd@bricm.gov.bd, www.bricm.gov.bd
Measurement Service Section (MSS)

## Reference Measurement Division

## Measurement Service Report

| | | | | | |
|---|---|---|---|---|---|
| **BRICM Report Ref:** | BRICM/MSR/2022/04/26-04 | | | **Report Delivery Date:** 26 APR 2022 | |
| **Service Ref:** APR2022A001517 | | | | | |
| **Name of the Client:** | AHMED HUSSAIN<br>Passport no : EF0607794 | | | **Sample Receiving Date:** 26 APR 2022 | |
| **Age:** | 50 y | **Sex:** | | Male | |
| **Ref. by:** | Self | | | | |
| **Type of Vaccine** | SINOVAC(SINOVAC) | **Date:** | 1st dose of Vaccine | 01-02-2022 | |
| **Vaccine Certificate No.** | BD2179864666 | | 2nd dose of Vaccine | 01-03-2022 | |
| | | | 3rd dose of Vaccine | N/A | |
| **Address of the Client:** (Including Tel, Fax, E-mail) | FOTEHPUR BANIGRAM, BAHARGRAM, GOWAINGHAT, SYLHET<br>Cell : 01823817576<br>E-mail : alashrafservices@gmail.com | | | | |

| | |
|---|---|
| **Specimen Type** | Blood |
| **Specimen Description** | Blood Serum |
| **Lab Specimen ID** | MSSA22042602 |

| S/N | Parameter | Method/ Instrument | Unit | Antibody Index Value of patient | Antibody Index Interpretation Reference |
|---|---|---|---|---|---|
| 01 | COVID-19 IgG Antibody | ELISA | - | 4.5 | <0.9 : Not detectable IgG antibody to Covid-19<br>0.9-1.1 : Borderline positive.<br>>1.1 : Detectable IgG antibody to Covid-19 |
| **Comments:** Positive | | | | | |

**Special Notes:**
a. The result reported here pertained to the specimen received in the laboratory only.
b. The laboratory is not responsible for the quality of data affected due to sampling, transporting and storage processes. The precision & accuracy are defined only for the laboratory process.
c. The result should not be reproduced and/or published partly or fully without prior approval of the laboratory.
d. The analysis is done only for research purpose.
e. Complain and/or query regarding delivered test report should be lodged within one month of report delivery date.

| Analysis Performer | Checked by | Approved by |
|---|---|---|
| Process Owner<br>Date: 26-04-22 | QC In-Charge<br>Date: 26.04.22 | QA In-Charge<br>Date: 26.4.22 |

**Md. Iqbal Hossain**
Scientific Officer
Bangladesh Reference Institute for Chemical Measurements (BRiCM)

**Zabed Bin Ahmed**
Senior Scientific Officer
Bangladesh Reference Institute for Chemical Measurements (BRiCM)

**Dr. Mala Khan**
Chief Scientific Officer
Bangladesh Reference Institute for Chemical Measurements (BRiCM)

Bureau International des Poids et Mesures

CIPM MRA

*BRiCM is the participatory member of BIPM, CIPM MRA and full member of APMP*

We are With the People For the People